




secret jardin

2021 - 2022



English - Deutsch - Nederlands

METRIC



GROW UP WITH
secret JARDIN



A 50.000-HOUR LIFETIME



 TLED is a 220 volt LED light with a very long life (up to 50,000 hours). It comes in two wattages - 26w / 54 cm and 42w / 95 cm - and two « colours » - Grow and Bloom, also called Full Spectrum. It is ideal for low plants and can also be used as a complement to a lighting system by clipping onto the vertical poles of your grow room.

 TLED ist eine besonders langlebige 220 Volt LED-Leuchte (bis zu 50 000 Stunden). Sie ist in zwei Stärken – 26W / 54 cm und 42 W / 95 cm – und in zwei « Farben » - Wachstum und Blütenansatz erhältlich und wird auch als Full Spectrum bezeichnet. Sie ist für niedrige Pflanzen geeignet, aber auch als Ergänzung für ein Beleuchtungssystem, indem Sie sie einfach an den senkrechten Rohren Ihres Anzuchtraums anklippen.

 De TLED is een 220 volt LED-lamp met een zeer lange levensduur (tot 50 000 uur). Hij is verkrijgbaar in twee vermogens - 26w / 54 cm en 42 w / 95 cm - en twee "kleuren" - Groei en Bloei, ook wel Full Spectrum genoemd. De lamp is geschikt voor lage planten, maar kan ook worden gebruikt om een verlichtingssysteem te vervolledigen door hem op de verticale buizen van uw kweekruimte vast te klemmen.



Durability



Easy to install



Compact

TLED2630**TLED 26W BLOOMING****TLED2665****TLED 26W GROWING****TLED4230****TLED 42W BLOOMING****TLED4265****TLED 42W GROWING****TLED 26W GROWING**

	15 cm				
	60x40 cm				
	1x TLED2665				
PPE	2.0 $\mu\text{mol/s/w}$				
PPF	52 $\mu\text{mol/s}$				
PPFD	<table><tr><td>220</td><td>265</td><td>265</td><td>220</td></tr></table>	220	265	265	220
220	265	265	220		

TLED 42W GROWING

15 cm

120x60 cm




1x TLED4265

2.0 $\mu\text{mol/s/w}$

84 $\mu\text{mol/s}$

60	85	105	105	105	105	85	60
90	180	210	220	220	210	180	90
90	180	210	220	220	210	180	90
60	85	105	105	105	105	85	60

$\mu\text{mol/s/m}^2$

**TLED BLOOMING****TLED GROWING****SET UP INCLUDED**

Ø 16-18 mm



Ø 19-21 mm



Ø 25-28 mm



Ø 30mm

**Adaptor UE/UK/US**

TLED		WGT	DIMENSIONS			POWER			CABLE & PLUG				TEMPERATURE		IP
REF	DESIGNATION		Net kg	Length cm	Width cm	Height cm	Cons. W	Voltage V	Freq. Hz	Length cm	Plug Type	Adaptor Included Countries		Working Min-Max	Storing Min-Max
TLED2630	TLED 26W L54 cm BLOOMING	0,36	54,0	4,0	3,0	26	110-220	50/60	240	IEC	C/G/A Type	UE/UK/US	0 to 40°C	-20 to 60°C	IP54
TLED2665	TLED 26W L54 cm GROWING	0,36	54,0	4,0	3,0	26	110-220	50/60	240	IEC	C/G/A Type	UE/UK/US	0 to 40°C	-20 to 60°C	IP54
TLED4230	TLED 42W L95 cm BLOOMING	0,58	95,0	4,0	3,0	42	110-220	50/60	240	IEC	C/G/A Type	UE/UK/US	0 to 40°C	-20 to 60°C	IP54
TLED4265	TLED 42W L95 cm GROWING	0,58	95,0	4,0	3,0	42	110-220	50/60	240	IEC	C/G/A Type	UE/UK/US	0 to 40°C	-20 to 60°C	IP54





info@secretjardin.com



[Secretjardin_](#)



[Secret Jardin Official](#)



[Secret Jardin](#)



secretjardin.com